


Adding Diagnosis

Adding a diagnosis to the **Diagnoses** tab:

1. Open the desired patient chart and click on the **Diagnoses** from the navigation menu



Diagnoses: Ashley Alcazar (ALCASH)	
<input type="checkbox"/> Show Inactive/Resolved Diagnoses	
DSM-5 Diagnoses	
ICD-9	DESCRIPTION
291.89	Alcohol-induced anxiety disorder

2. Click on the + **New** button in the upper right corner of the browser window. The Add New Diagnosis Window will appear.

The available fields on the Add New Diagnosis Window are as follows:

- **Date:** the date that the problem was first diagnosed or when the problem started. This field will default to the current date when entering a new diagnosis from the patient's chart
- **Status:** the current status of the diagnosis. The options for this field are as follows: Active, Inactive, Chronic, and Resolved. This field will default to Active when adding a new diagnosis.
- **Billing Order:** all patients whose services are billed to a payer require a billing order of 1 be attached to a diagnosis.
- **Code/Description:** this field is used to search for a new diagnosis to add to the patient's chart. Either the diagnosis code or the diagnosis description can be used while performing a search.
- **Show DSM-5 Diagnoses Only:** when checked, this field will limit the results from the search to only diagnoses which appear in DSM-5. Unchecking this box will search across all ICD-9 and ICD-10 diagnoses.
- **View Details:** when a diagnosis has been selected, this button can be used to view additional information about the diagnosis.
- **Specificity:** allows the user to set the specifiers for a selected diagnosis. This is a free text field with unlimited length.

Add Diagnosis

Date: 05/04/2020

Status: Active

Billing Order:

Code/Description: ☒ Show DSM-5 Diagnoses Only

DS...	ICD-9	DESCRIPTION	ICD-10	DESCRIPTION
Type three or more characters to begin searching				

[View Details](#)

Specificity:

Ok Cancel

3. Begin typing the diagnosis code or the diagnosis description in the Code/Description Field.
4. Once diagnoses have been entered and the details have been set, the final step is to click the **Save** button located at the bottom of the **Diagnoses** tab. Not clicking on **Save** results on changes being lost.
5. **Searching for codes**
 - ICD-9 or ICD-10 codes can be used in the search.
 - Keep in mind some codes may no longer be used and providers should make sure to follow [updates to DSM-5 criteria, text and ICD-10 codes](#).
 - DSM-5 descriptions can be used for diagnoses that fall within DSM-5.
 - ICD-9 or ICD-10 descriptions can be used for diagnoses which do not appear in DSM-5.
 - At least three (3) characters must be typed before the search will begin the query.
 - If more than 100 results are possible for a search, a message will appear indicating the total number of possible results, in which case further refinement of the search criteria may be required to locate the needed diagnosis.
 - The results are ordered using the following sort criteria: ICD-9 Code, ICD-10 Code, ICD-9/DSM-5 Description, ICD-10/DSM-5 Description.

The Show DSM-5 diagnoses only checkbox allows the user to limit their search results to only diagnosis pairings which appear in DSM-5. Unchecking the box will include results which match the search criteria, but are not considered part of DSM-5.

Code/Description
<input type="text"/> <input checked="" type="checkbox"/> Show DSM-5 Diagnoses Only

By default, the Show DSM-5 diagnoses only checkbox is set to be checked for all users within a practice.