Treatment Plan Remote and Multiple Signers

Remote signing expands the number of external signers from one (only patient or guardian) to up to five (patient, guardian 1, guardian 2, guarantor, and other) and allows that signing to take place either via email or on a practice device.

Prerequisites

- Customer must have non-core module "Treatment Plan Clinical".
- User must be a provider who is the owner of the treatment plan.
- The patient must have an active diagnosis code.

Steps for Signing

A provider creates a Treatment Plan for a patient (<u>Creating a New Treatment Plan</u> article), or updates an active Treatment Plan.

To enable signing functionality, the "External signer(s) required to sign" must be checked.

Signers Z External signer(s) required to sig	n	
✓ Patient required to sign Mint Valant	On practice device O Via email	UNSIGNED
Guardian 1 required to sign Guardian 2 required to sign Guarantor required to sign Other Signer required to sign Developing Provider: Georg	e M. Hall Add Supervisor Add Provider	UNSIGNED

• Checkboxes for Guardian 1, Guardian 2, and Guarantor will only appear if the patient has them entered in **Persons & Institutions** | **Patients**.

Check the boxes by the required signers and indicate "On practice device" or "Via email" for each required signer. If an email is already in the system for the signer, that will be pulled into the email field. The email address can be updated in this screen, but will not update the email address already in the system.

External signer(s) required to sign			
_			
Patient required to sign Mint Valant	On practice device	○ Via email	UNSIGNED
Guardian 1 required to sign Jasmine Valant	O On practice device	Via email	UNSIGNED
Guardian 2 required to sign Bob Guardian	○ On practice device	Via email	UNSIGNED
Guarantor required to sign Guarantor required to sign Family valant	O On practice device	Via email	UNSIGNED
Other Signer required to sign Other Signer	On practice device	○ Via email	UNSIGNED
Social Worker			
Developing Provider: George I	M. Hall		UNSIGNED

Internal signers and those signing on practice device must sign before email is sent to those signing via email.

Signers				
-	ner(s) required to sign			
Patient:	Mint Valant	On practice device	○ Via email	UNSIGNED
Guardian 1:	Jasmine Valant	On practice device	Via email	UNSIGNED
Guardian 2:	Bob Guardian	On practice device	Via email	UNSIGNED
Guarantor:	Family valant	On practice device	Via email	UNSIGNED
Social Worker:	Other Signer	On practice device	○ Via email	UNSIGNED
Client/Guardian S Default Patient/Gu Provider(s) Signa	ers will be emailed automatically after all o Signature Header Jardian Signature Header	ther signers have signed.		SIGNED
Problems/Go	oals/Objectives/Interventions			
Glo	tient Instructions obal Comments atient/Guardian participated in the develop	oment of the treatment plan		
Print Edit	Sign - Patient Sign - Social Worker			

"Via email" signers will be emailed automatically after all other signers have signed.

If necessary, there is an option to send a reminder email.

Patient:	ner(s) required to sign Mint Valant	On practice device Via email	SIGNED
Guardian 1:	Jasmine Valant	On practice device Via email	UNSIGNED
Guardian 2:	Bob Guardian	On practice device Via email	UNSIGNED
Guarantor:	Family valant	On practice device Via email	UNSIGNED
Social Worker:	Other Signer	On practice device Via email	SIGNED
lient/Guardian S	Provider: George M. Hal ers will be emailed automatica Signature Header Iardian Signature Header	Ily after all other signers have signed.	SIGNED
lient/Guardian S lefault Patient/Gu rovider(s) Signa lefault Provider(s)	ers will be emailed automatica Signature Header Iardian Signature Header	lly after all other signers have signed.	

When all signing is completed, the treatment plan moves from draft to active.

Note: The treatment plan viewed by the signers does not include email addresses.